Image Classification Game: Part 1

This **Snap! game** uses **Nvidia Jetson** capability to classify images.

Offline Snap! downloading

Please download and open Offline version of Snap! for our project. Go to https://snap.berkeley.edu/offline and follow the steps.

Snap! files' downloading

Please open the link Classification Game to download our project on your computer. Probably you would see the xml in raw format. Click the right button of your mouse and save it on the disk.



Web camera Image in Snap!

You can get picture from your web camera in Snap!.

• video capture block to enable video capturing.



• Change value of **set video transparency** block to 0 for clear image.

```
set video transparency to 0
```

• **video snap on stage** block reports picture from stage.



Connection to Jetson from Snap!

If you have not imported it yet, please download jetson blocks and import it to your Snap! project.



Use connect to Jetson url block to connect Jetson.

connect to jetson url ws://ip_address:4040



You need ip address of Nvidia Jetson. You can use ifconfig command in a terminal to get ip address.

• Store the value of **jetson name** in a variable.

```
set jetson name to dev-kit-20
```

• Store the value of **connect to Jetson url** block in a variable for later use.

```
jetson to connect to jetson url join ws:// jetson_name
```

Response from classification

Here we will send video snap on stage to Jetson for processing. Jetson will respond back class name, confidence value and class ID.



Only class name and confidence value will be used in this example. This project does not use class ID.

- Use get response from Jetson block to send image, and get class name and confidence value.
 - First input slot is for **ietson** variable that stores websocket data.
 - Second input slot is for costume you want to be classified by Nvidia Jetson.

```
set response to send picture to jetson jetson video snap on Stap
```

Class name and confidence value

This section will demonstrate how to handle **response** variable to access **class name** and confidence value.

• class name is the 2nd item of 1st item of response block.



• confidence value is 2nd item of 2nd item of response block.

confidence.





You can create custom blocks, to get **class name** get class name from response and to get **confidence** get confidence from response.

Speech functionality

Speech functionality is available as a library in Snap!. Select *export libraries* from settings then choose *speech module* .

• Use **join** block to create text like I am **confidence** percent sure, it is **class name** .

```
join round 100 × item 2→ of item 2→ of response | | |
percent-surev.itvist item 2→ of item 1→ of response | |
```

• Use speak and wait block to read text a loud.

```
| lame round | 100 × item | 2 of item | 2 of response | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100
```

Repeat block for game

Last step is adding loop for the game.

Use repeat block and put script inside of it.



This example used **repeat until** block to break loop when *space* key pressed.

You can download full game from Github page of EOLab-HSRW.

Image Classification Game: Part 2

Please open the link Classification Game: Extended to download the extended version of our project on your computer.

Start Camera

Drag and drop the **start video** custom block to start using web camera.

Connection to Jetson

Repeat the steps from Part 1 to connect to the Jetson Computer.

```
jetson_name *
set jetson to connect to jetson url join ws://
```

Game Initialization

Use **When flag clicked**, variable setting and our custom blocks for initializing the game

```
when 🦰 clicked
init variables
    current_page v to start page
render | current_page
```

Game process control blocks

In the game process we use when block to catch the click event from the stage and change the current page and broadcasting to tell the other blocks that game is starting.

Printed on 2025/08/19 07:57 https://student-wiki.eolab.de/

```
when start label is clicked

set current page to game page

render current page

broadcast start game to all wait until not mouse down?
```

Also we added additional blocks to resume the game after it was stopped.

```
when space key pressed

set current page to game page

render current page

broadcast start game
```

Speech functionality

Speech functionality

From:

https://student-wiki.eolab.de/ - HSRW EOLab Students Wiki

Permanent link:

https://student-wiki.eolab.de/doku.php?id=snapcon2022:image-classification-game&rev=16597890491. The property of the propert



